



ProMasonry Decor Seal

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 1 of 13

Table of Contents

SECTION 1: Identification of the substance/mixture and of the company/undertaking 2

SECTION 2: Hazards identification 2

SECTION 3. Composition/information on ingredients 3

SECTION 4: First aid measures 4

SECTION 5: Firefighting measures 5

SECTION 6: Accidental release measures 6

SECTION 7: Handling and storage 6

SECTION 8: Exposure controls/personal protection 7

SECTION 9. Physical and chemical properties 8

SECTION 10: Stability and reactivity 9

SECTION 11: Toxicological information 10

SECTION 12: Ecological information 11

SECTION 13: Disposal considerations 11

SECTION 14: Transport information 12

SECTION 15: Regulatory information 12

SECTION 16: Other information: 13

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Decor Seal

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 2 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Form : Powder Mixture
Product Name : ProMasonry Decor Seal

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Use of Substance : For interior or exterior, above or below-grade vertical concrete and masonry substrates that experience water entry through walls

1.3 Details of the supplier of the safety data sheet:

Supplier:
Conproco Corporation
17 Production Drive
Dover, NH, 03820
T- 800.258.3500

1.4 EMERGENCY TELEPHONE NUMBER:

Emergency Number : CHEMTREC 800.725.7383
: CHEMTREC International +1.703.527.3887 24 hr

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture:

Acute toxicity 4
Skin Irritation 2
Serious Eye Damage 1
Skin Sensitization 1
Carcinogenicity 1A

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Decor Seal

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 3 of 13

2.2 Label elements:

Hazard Pictograms:



Signal word:

Danger

Hazard statement:

Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Can cause allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to organs through prolonged exposure

Precautionary statements:

Keep in original container. Do not eat, drink, or smoke when using these products. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Use in a well ventilated area. Do not breathe dust. Absorb spillage to prevent material damage. If exposed or concerned: Get medical advice/attention. If swallowed: Immediately call a poison center/doctor. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing. Immediately call a poison center/doctor. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs. Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store locked up. Store in a well ventilated place. Keep container tightly closed/ Dispose of contents and container in accordance with all local, regional, national, and international regulations.

2.3 Other hazards: Not Available

SECTION 3. Composition/information on ingredients

3.1 Mixtures:

Conproco ProMasonry Decor Seal.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Decor Seal

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 4 of 13

3.2 Hazardous ingredients:

Substance name	CAS No.	Concentration %	GHS-US Classification
Crystalline Silica	14808-60-7	30-50	Acute Tox. 4 (oral) H302 Carc. 1A H350 STOT RE 1 H372
Portland Cement, chemicals	65997-15-7	20-50	Skin Irrit. 2 H315 Eye Dam. 1 H318 Skin Sens. 1 H317 STOT SE 3 H335
Limestone	1317-65-3	6-10	None
Exact percentages of concentration are withheld as a trade secret in accordance with paragraph (i) of §1910.1200			

SECTION 4: First aid measures

4.1 Description of first aid measures:

- Following inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
- Following skin contact : OBTAIN IMMEDIATE MEDICAL ATTENTION. Remove contaminated clothing and safely dispose of. After contact, wash with soap immediately.
- Following eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
- Following ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS TO BE OBTAINED FROM THE USE THEREOF. CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Decor Seal

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 5 of 13

4.2 Most important symptoms and effects, both acute and delayed:

- Symptoms/injury after inhalation : May cause respiratory tract irritation.
- Symptoms/injury after skin contact : Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact.
- Symptoms/injury after eye contact : Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
- Symptoms/injury after ingestion : Harmful if swallowed. May cause stomach distress, nausea or vomiting.

4.3 Indication of any immediate medical attention and special treatment needed:

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

- Suitable extinguishing media : Water or Carbon dioxide
- Unsuitable extinguishing media : None

5.2 Special hazards arising from the substance or mixture

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Decor Seal

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 6 of 13

Fire Hazard : No specific fire or explosion hazard.

5.3 Advice for fire-fighters:

Firefighting instructions : None, unless mixed with flammable materials

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

General procedure : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2 Methods and material for containment and cleaning up:

For Containment : Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate personal protection.

Methods for cleaning up : The material can be returned to the original container for later use. Or disposed of as common waste under any local agreement, at a treatment facility, or discharged under an NPDES permit.

6.3 Reference to other sections:

No additional information

SECTION 7: Handling and storage

7.1 Precautions for safe handling

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS TO BE OBTAINED FROM THE USE THEREOF. CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Decor Seal

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 7 of 13

Precautions for safe handling : Avoid contact with skin and eyes. Avoid generating and breathing dust. Do not swallow. Good housekeeping is important to prevent accumulation of dust. The use of compressed air for cleaning clothing, equipment, etc., is not recommended. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

7.2 Conditions for safe storage, including any incompatibilities:

Storage Conditions : Keep out of the reach of children. Store in dust-tight, dry, labelled containers. Keep container tightly closed when not in use. Keep in well ventilated area. Avoid any dust build-up by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers.

7.3 Specific end uses:

No additional information

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Crystalline Silica (14808-60-7)		
USA ACGIH	ACGIH TWA (mg/m ³)	0.1 mg/m ³

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS TO BE OBTAINED FROM THE USE THEREOF. CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Decor Seal

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 8 of 13

USA OSHA	OSHA PEL (TWA) (mg/m ³)	10 mg/m ³
----------	-------------------------------------	----------------------

Portland Cement, chemicals (65997-15-1)		
USA ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³

Limestone (1317-65-3)		
USA ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³

8.2 Exposure controls

Appropriate Engineering Controls	:	Use adequate ventilation. Avoid dust production.
Personal Protective Equipment	:	Dust mask, gloves, safety glasses
Hand Protection	:	Cloth gloves
Eye Protection	:	Safety glasses
Skin and Body Protection	:	Handle with good industrial hygiene and safety practice. Always wash hands after handling this product, and once again before leaving the workplace. Wear suitable protective clothing, and wash clothing before next use.
Respiratory Protection	:	Use NOISH- approved air-purifying or supplied air respirator where airborne concentrations of dust are expected to exceed exposure limits.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Physical State	:	Solid
Appearance	:	Powder
Color	:	Gray

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS TO BE OBTAINED FROM THE USE THEREOF. CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Decor Seal

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 9 of 13

Odor	: Mild
Odor Threshold	: N/A
pH	: 12
Relative Evaporation Rate	: N/A
Melting Point	: N/A
Freezing Point	: N/A
Boiling Point	: N/A
Flash Point	: N/A
Auto-Ignition Temperature	: N/A
Decomposition Temperature	: N/A
Flammability (solid/gas)	: N/A
Vapor Pressure	: N/A
Relative Vapor Density (20°C)	: N/A
Relative Density	: N/A
Specific Gravity	: N/A
Density	: N/A
Solubility	: 1% (leaves sediment)
Log Pow	: N/A
Log Kow	: N/A
Kinematic Viscosity	: N/A
Dynamic Viscosity	: N/A
Explosive Properties	: N/A
Oxidizing Properties	: N/A
Explosive Limits	: N/A

9.2 Other information:

No Additional Information

SECTION 10: Stability and reactivity

10.1 Reactivity:

No dangerous reaction will occur under normal conditions.

10.2 Chemical stability:

No data available

10.3 Possibility of hazardous reactions:

None

10.4 Conditions to avoid:

None

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Decor Seal

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 10 of 13

10.5 Incompatible materials:

None

SECTION 11: Toxicological information

11.1 Information of Toxicological Effects:

Crystalline Silica (14808-60-7)	
LD50	500 mg/kg
LC50	Not available

Skin corrosion/irritation	: Causes skin irritation
Serious eye damage/irritation	: Causes serious eye damage
Respiratory of skin sensitisation	; May cause an allergic skin reaction
Germ cell mutagenicity	: Classification criteria not met
Carcinogenicity	: May cause cancer
Reproductive Toxicity	: Classification criteria not met
Specific Target Organ Toxicity (Single Exposure)	: May cause respiratory irritation
Specific Target Organ Toxicity (Repeated Exposure)	: Can cause damage to organs through prolonged or repeated exposure

Symptoms	
Symptoms/injuries after inhalation	May cause respiratory tract irritation.
Symptoms/injuries after skin contact	Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact.
Symptoms/injuries after eye contact	Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	Harmful if swallowed. May cause stomach distress, nausea or vomiting.
Other information	Likely routes of exposure: ingestion, inhalation, skin and eye.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Decor Seal

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 11 of 13

SECTION 12: Ecological information

12.1 Toxicity:

Ecological - general : No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.

12.2 Persistence and Degradability:

N/A

12.3 Bioaccumulative Potential:

N/A

12.4 Mobility in soil:

N/A

12.5 Other adverse effects:

N/A

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

Waste Disposal Recommendations : The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Decor Seal

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 12 of 13

dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN Number:

Not available

14.2 UN Proper Shipping Name:

Not available

14.3 Additional Information:

None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Crystalline Silica (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Portland Cement (65997-15-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Limestone (1317-65-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2 US State Regulations:

Conproco ProMasonry Decor Seal	
State or local Regulations	This product contains crystalline silica, and trace amounts of chemicals known to the State of California to cause cancer, birth defects, and reproductive harm.

Carcinogenic Classifications

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS TO BE OBTAINED FROM THE USE THEREOF. CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Decor Seal

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 13 of 13

IARC (I)	International Agency for Research on Cancer 1 - Carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable 4 - Probably not carcinogenic to humans
NTP (N)	National Toxicology Program 1 - Evidence fo Carcinogenicity 2 - Known Human Carcinogens 3 - Reasonably anticipated to be Human Carcinogen 4 - Substances delisted from report on Carcinogens 5 - Twelfth Report - Items under consideration

SECTION 16: Other information:

Other Information : This document was made in accordance to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015